Engineer Software

Automation & CI/CD

35 achievements

Connect the parts of your system

The work collected under “Automation & CI/CD” shows one part of a working system. We can help connect that part to the rest of your operation. Numbers arriving where they are needed, on a schedule, without anyone copying a spreadsheet at the end of the month.

Explore our services Get in touch →

Find a comparable challenge

Follow an example that resembles your situation. Its review describes the decisions behind the result, beyond the technology label. One infrastructure plan for 14 departments — 14 research departments on one infrastructure plan

One infrastructure plan for 14 departments Get in touch →

Resolved 1,000 issues in geographical data

Resolved 1,000 issues in geographical data and time-series data, using GDAL, ArcGIS, PostGIS, Mapbox, QGIS, SQL (PL/pgSQL, Transact-SQL), Bash, ensuring high-quality big data processing.

Designed and ran 6 ETL/ELT pipelines

Designed, implemented, and administered 6 ETL/ELT pipelines, utilizing Google BigQuery, MSSQL, PostgreSQL, Shell scripting, PL/pgSQL, and Transact-SQL, integrating data for efficient Python API processing.

Automated GIS SaaS deployment with GitHub Actions

Automated GIS SaaS application deployment, data processing, and reporting system using GitHub Actions CI/CD, Python, Bash, and SQL.

Automated delivery of 20 GIS data pipelines

Automated delivery of 20 GIS data pipelines and app data ETL processes, streamlining infrastructure automation and reporting.

Overhauled internal processes, saving 8,000 hours

Overhauled internal processes, saving 8,000 hours by improving software architecture, systems, and scheduling efficiency.

Developed a Data Analytics reporting system

Developed a Data Analytics reporting system, increasing quarterly software revenue by 400% through Python-based PDF reports.

Generated the API contract from the database out

Generated the API contract outward from the database — OpenAPI, a 44,076-line typed TypeScript client, 61 mock handlers and the limits the UI enforces — with a guard at every hop that fails on drift.

Built an English/Danish i18n system

Established an English/Danish internationalization system carrying 12,027 messages per locale across 458 namespace files, with linter-enforced vocabulary and a 400-line budget per file.

Built a test suite across Go, SQL and browser

Built a layered automated test suite — 981 Go tests, 543 frontend and browser specs, 494 SQL behavioural tests — with mutation testing, property-based tests and an accessibility gate.

Built a 268-check guard engine for the repo

Built the repository's guard engine — 268 registered commit checks, 277 lint rules and 15 custom ESLint rules — plus 146 tests of the guards themselves, so the build holds the standard, not review.

Moved slow work onto a River job queue

Moved slow work off the request path onto a River job queue — 15 worker modules, 8 scheduled tasks and 20 pg_cron jobs — so a request returns while the work behind it carries on.

Your code on your own server

Deployed the company's own git forge on Soft Serve, private by default with no web panel and its SSH port bound to loopback behind a jump host, and made the landing page in front of it a build artefact of the main site rather than a hand-kept copy.

Built a 22-linter commit gate

Built a commit gate of 22 one-line linters plus five that earn a paragraph, with no warning tier and no inline suppressions permitted, covering HTML, CSS, JavaScript, Python, YAML, Markdown, shell, links, spelling, secrets and typography.

A safety net that no longer costs half an hour

Cut the site's browser-driven quality gate from 1,636 seconds to 615 by scheduling its checks longest-first through a worker pool bounded to four lanes, after measuring that alphabetical order cost 320 seconds against 224.

Replaced 27 font sizes with a 6-step scale

Replaced 27 rendered font sizes whose nearest neighbours were 0.6% apart with a six-step Major Third scale, and wrote the linter that fails the twenty-eighth.

The accessibility faults your checker misses

Found and fixed 11 accessibility defects the browser reported as healthy — eight footer links still in tab order behind pointer-events, a scroll timeline clipping the colophon off three pages, and a rule engine running 70 of its 105 rules.

Closed the colour system at 28 colours

Closed the colour system at 28 documented colours with a linter that fails a value painted but undocumented, documented but unpainted, mis-measured, respelled as a literal, or within a perceptual distance of 0.02 of one already there.

Found the light theme missing a whole layer

Found that the light theme had been missing a full-page overlay layer since the day it was written, by asserting that both themes paint every layered surface with the same number of layers.

Mirrored the site to Gemini and Gopher

Built Gemini and Gopher outputs from the same website source; the achievement records 777 documents in each format at that stage, with zero HTML bytes changed by adding the formats.

Replaced 963 metadata blocks with one graph

Replaced 963 anonymous structured-data blocks that restated the company 1,671 times with one linked graph of 16 types minted from stable origin identifiers.

Cut the stylesheet bundle from 87 KB to 31 KB

Cut the stylesheet bundle from 87 KB to 31 KB by taking a base64 font out of it, and dropped 756 KB across 22 files that were published on every deploy and referenced by nothing.

Fixed a sitemap with one shared timestamp

Fixed a sitemap where 172 of 176 URLs shared one modification timestamp, by taking the date from git history after establishing that the export rewrites every file on every run.

Linted the 10,242-line quality gate itself

Brought 10,242 lines of quality-gate JavaScript under a formatter and a linter after establishing it was the largest body of code in the repository and the only one nothing read, fixing 13 findings and suppressing none.

Built a database-driven CV generator

Built a database-driven CV, references, portfolio and cover-letter generator in Python — 41 modules, 10,580 lines — rendering six output formats from one 23-table SQLite source assembled by a 19-step idempotent pipeline.

Held the generator to 981 tests and 92% coverage

Held the generator to 981 test cases at a 92% branch-coverage floor with warnings treated as failures, and asserted idempotence by running the whole build pipeline twice from an empty file and requiring the second pass to change nothing.

Passed 106 of 106 PDF/UA-1 profile checks

Recorded PDF/UA-1 validation across nine documents with 106 of 106 configured accessibility-profile checks passing, while the archival variant failed one of 146 rules.

Enabled every linter rule as an error

Selected every rule the Python linter has as an error, working through 1,815 findings to reach zero, with each of the few exemptions carrying a written reason and two of them backed by a checker instead of a comment.

Wrote tests for the checkers themselves

Wrote tests for the checkers themselves after establishing that a checker fed only clean input will one day report clean because it read nothing — planting a misspelling to confirm the spell-check finds it, and taking an id range from the database rather than from a number in the test.

Built a cross-language figure check

Built a cross-language content check that fails when a translation drops a figure the English states, and when a language uses notation it does not use — finding two Danish descriptions missing a metric and sixteen Ukrainian spans quoting in the English style.

Wrote a parser verifying every FFI call

Wrote a parser that reads the real 7,308-line C header and verifies every call site, every enum constant and that every pointer-owning class is final, after a hand-written placeholder header let calls to three removed functions compile, link and crash.

Named all 17 icons for screen readers

Named every icon-only control in the interface for screen readers after finding the send button announced as "arrow up circle, button", and wrote the linter that requires the label within eight lines of the icon.

Built a 48-token macOS design system

Built a 48-token design system on the platform's own glass material and wrote the linter that rejects a magic number, a hardcoded font size, or an animation that ignores the reduce-motion preference.

Reached the unused half of the core

Reached the half of the messaging core the application had never used — backup transfer, disappearing messages, message editing and resending, verified invitations, proxies and encryption policy — driving every test against the real library with no mocks.

Built the visual identity from 2 drawings

Built the company's icon and favicon sets from two hand-made drawings, with every derived asset regenerated by script and a check that fails when a derived file was committed before its source.

Made six collectors state what they skipped

Made six reporting collectors state the part of their input they never read — files that stayed shut, probes not installed, journal lines unrecognised — and fitted thresholds to 116 measured samples, after establishing that a blind collection and a healthy host render the same page.

Focus the engineering effort

Bring a representative dataset, the questions it must answer and the current bottleneck. We can agree how to measure quality, throughput and recovery.

See what it costs Get in touch →

Put the subject in your context

Tell us how “Automation & CI/CD” appears in your own system. We can help choose the relevant service and define the work around it.

Explore our services

welcome@engineer.company +45 50 10 61 84 Copenhagen, Denmark

Take this page with you

Contact card

Carefully Crafted With Love by D.

CVR 45969703 · Tagensvej 105C, 3. th, 2200 København N

Copyright © 2025 – present · Engineer ApS · All rights reserved.

Printed from https://software.engineer.company/categories/automation/